

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

#### **In the Drawings**

The following changes to the drawings have been approved by the examiner:

To avoid confusion and to properly label the various images shown in each of Figures 4, 5, 6, 12, 13 and 14 the following changes should be made. Each of the various images should be separately labeled. For example, in figure 4, the labeling should be ---Fig. 4A--- and ---Fig. 4B---, respectively, for the various figures. In figure 5, the labeling should be ---Fig. 5A--- and ---Fig. 5B---, respectively. In figure 6, the labeling should be ---Fig. 6A---, ---Fig. 6B---, ---Fig. 6C---, ---Fig. 6D---, respectively. Figures 12, 13 and 14 should be amended in similar fashion.

Also, figures 13 and 14 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Art Unit: 3727

In order to avoid abandonment of the application, applicant must make these above drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K. Graham whose telephone number is 571-272-1274. The examiner can normally be reached on Tuesday to Friday (7:00-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Monica S. Carter can be reached on 571-272-4475. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary K Graham/  
Primary Examiner, Art Unit 3727

GKG  
08 October 2009